

6" Metal Step Baffle Trim



Features

- Baffle.
- Lamp: 75W MAX PAR30 or R30.
- O.D.: 7 1/4".

Technical Details

Construction:

- Meticulously manufactured trim with a powder coated or anodized finish.
- Baffle helps reduce glare.

Installation: Clips securely mount trim into the housing and keeps ring flush with ceiling.

Compatible Housing: Compatible with 6" Integrated LED Housings.

Lamp: Compatible with Medium base (E26) PAR type.

Options



Black w/White Trim



All White



All Bronze



All Nickel



Nickel w/Black Trim



Nickel w/White Trim



All Black



Black w/Bronze Trim

Product Number

| Item | Finish |
|---------|-----------|
| ELM30BB | All Black |

Product Number Builder

Example: ELM30BB

6" Baffle Trim

ELM30

Finish

BB

All Black

BZ

All Bronze

N

All Nickel

W

All White

BBZ

Black with Bronze Trim

B

Black with White Trim

NW

Nickel with White Trim

NB

Nickel with Black Trim

Oversized Ring

std Ring

OV Oversized Ring (B,W only)

Compatible Products

For use with 6" Trims for PAR Lamps



6" Line Voltage ICA Housings



6" Airtight IC Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|----------|-----------------------------|
| EL7ICA | 90W, with Socket Bracket |
| EL7ICANB | 90W, without Socket Bracket |




6" Airtight IC Housing
Double Wall New Construction

| CAT NO. | SPECIFICATIONS |
|-----------|-----------------|
| EL7IC100A | Lamp: 100W MAX. |



6" Airtight IC 2-Hour Fire Rated Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| EL7FICA | 90W |




6" Airtight IC Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| EL7RICA | Lamp: 90W MAX. |



6" Shallow Airtight IC Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| R9ICA | Lamp: 75W MAX. |



6" Shallow Airtight IC Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| RR9ICA | Lamp: 75W MAX. |




6" Airtight IC Housing with GU24 Base Socket
New Construction

| CAT NO. | SPECIFICATIONS |
|------------|----------------|
| EL7ICA-G24 | Lamp: 27W MAX. |



6" Airtight IC Universal Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|---------|-----------------|
| R10H | Lamp: 150W MAX. |



6" Airtight IC Universal Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|---------|-----------------|
| RR10H | Lamp: 150W MAX. |



6" Shallow Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|---------|---------------------------------|
| R9H | Lamp: 75W, Medium Base (E26) |



6" Shallow Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|---------|--------------------------------------|
| RR9H | Lamp: 75W MAX., Medium Base (E26) |

Compatible Products

For use with 6" Trims for PAR Lamps



6" Accessories



Fire Cover

| CAT NO. | SPECIFICATIONS |
|---------|---------------------|
| FIRECVR | 9 3/4" H x 17" O.D. |



Fire Enclosure

| CAT NO. | SPECIFICATIONS |
|------------|----------------------------|
| FIREENCL | 20 3/8" L x 14 3/8" W |
| FIREENCL-S | Shallow, 16" L x 14 3/8" W |



Mica Fire Tape

| CAT NO. | SPECIFICATIONS |
|----------|----------------|
| FIRETAPE | 3/4" W x 16' L |