

# 2" LED Square Reflector with 5-CCT Switch




## Features

- IC rated for direct contact with insulation
- 8W
- CRI 90+
- 120V
- ETL listed
- Meets Energy Star standards
- Dimmable Triac/ELV
- Cutout 2 5/8" (65mm)
- For EM Backup use KEM-ERT


## Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| <b>Wattage</b>       | 8W                                |
| <b>Lumens</b>        | 600 lm                            |
| <b>Voltage</b>       | 120V                              |
| <b>Color Temp.</b>   | 2700K, 3000K, 3500K, 4000K, 5000K |
| <b>Dimmable</b>      | Triac/ELV                         |
| <b>Lamp Type</b>     | LED                               |
| <b>CRI</b>           | 90+                               |
| <b>Damp Location</b> | Listed                            |

## Dimensions



## Hole Cut-Out



## Product Numbers

| Item       | Lamp type | Lumens | CCT                               | Watts | Voltage | Dimming   | Finish    |
|------------|-----------|--------|-----------------------------------|-------|---------|-----------|-----------|
| ERT213CT5W | LED       | 600 lm | 2700K, 3000K, 3500K, 4000K, 5000K | 8W    | 120V    | Triac/ELV | All White |

**Product Number Builder** Example: **ERT213CT5W**

---

LED Square Reflector

Color Temperature

Finish

**ERT213**

**CT5** 2700K-5000K

**W** All White

# Compatible Products

For use with 2" Elm™ System Downlights

## 2" Elm™ New Construction Frames

---



New Construction Frame for Slim Panels  
**Single Cutout**

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| E2LF1   | 2" Frame       |



New Construction Frame for Slim Panels  
**Multiple Cutout**

| CAT NO.  | SPECIFICATIONS |
|----------|----------------|
| E2LF1-M2 | 2 Set          |
| E2LF1-M3 | 3 Set          |
| E2LF1-M4 | 4 Set          |
| E2LF1-M5 | 5 Set          |



Universal Frame for 2", 4" and 6"  
**New Construction**

| CAT NO. | SPECIFICATIONS    |
|---------|-------------------|
| E246LF1 | For 2", 4" and 6" |

## 2" Elm™ Accessories

---



Extension Cords

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| ECNE10  | 10" Long       |
| ECNE11  | 10' Ft Long    |