

# 4" Metal Step Baffle Trim with Socket Bracket



## Features

- Baffle Trim.
- Integral Socket Bracket to control lamp height.
- Lamp: 40W MAX A19 or R16, 50W MAX PAR20 or R20.
- O.D.: 4 3/4".

## Technical Details

### Construction:

- Meticulously manufactured trim with a powder coated or anodized finish.
- Baffle helps reduce glare.

**Installation:** Clips securely mount trim into the housing and keeps ring flush with ceiling.

**Compatible Housing:** Compatible with 4" Line Voltage IC and Non-IC versions.

**Lamp:** Compatible with Medium base (E26) PAR type.

## Options



**Black w/White Trim**




**White**



**Nickel**



**Black w/Nickel Trim**



**Nickel w/Black Trim**



**Nickel w/White Trim**



**Copper**



**Bronze**

## Product Numbers

Item	Finish
<b>EL993KB</b>	Black with White Trim
<b>EL993KW</b>	All White
<b>EL993KN</b>	Nickel
<b>EL993KBN</b>	Black with Nickel Trim
<b>EL993KNB</b>	Nickel with Black Trim
<b>EL993KNW</b>	Nickel with White Trim
<b>EL993KCP</b>	Copper
<b>EL993KBZ</b>	All Bronze

# Product Number Builder

Example: **EL993KB**

4" Baffle Trim with Socket Bracket

Socket Bracket

Finish

**EL993**

no Socket Bracket  
**K** Socket Bracket

**B** Black w/White Ring  
**W** All White  
**N** All Nickel  
**BN** Black with Nickel Trim  
**NB** Nickel with Black Trim  
**NW** Nickel with White Trim  
**CP** All Copper  
**BZ** All Bronze

# Compatible Products

For use with 4" Trims for PAR Lamps

## 4" Line Voltage ICA Housings



4" Airtight IC Housing  
Double Wall Construction

CAT NO.	SPECIFICATIONS
EL99ICA	Lamp: 50W MAX.



4" Airtight Housing  
New Construction

CAT NO.	SPECIFICATIONS
EL99A	Lamp: 50W MAX.



4" Airtight IC Housing  
New Construction

CAT NO.	SPECIFICATIONS
EL99LDICA	Lamp: LED 12W MAX.



4" Airtight IC Housing with GU24 Base Socket  
New Construction

CAT NO.	SPECIFICATIONS
EL99ICA-G24	Lamp: 18W MAX.



4" Airtight IC 2-Hour Fire Rated Housing  
New Construction


CAT NO.	SPECIFICATIONS
EL99FICA	Lamp: 35W MAX.

## 4" Accessories



Fire Cover

CAT NO.	SPECIFICATIONS
FIRECVR	9 3/4" H x 17" O.D.



Fire Enclosure

CAT NO.	SPECIFICATIONS
FIREENCL	20 3/8" L x 14 3/8" W
FIREENCL-S	Shallow, 16" L x 14 3/8" W



Mica Fire Tape

CAT NO.	SPECIFICATIONS
FIRETAPE	3/4" W x 16' L