

Project name:

Fixture type:

Date:

4" Square IC Airtight Junction Box with Hanger Bars for Fire Rated Ceilings



Features

- The ideal solution for LED Inserts and Ceiling Mount fixtures
- IC Airtight for direct contact with insulation, for use in IC and Non-IC applications
- 4" Square opening
- Swivel hanger bars for new construction mounting
- Low profile makes ideal in shallow plenum applications

Technical Details

Installation: Designed for shallow ceiling plenums. High strength swivel hanger bars that can be nailed to joists.


Hanger Bars: Hanger bars with True Nail for easy installation in regular lumber, engineered lumber, and laminated breams. Integral T-bar slots for easy installation in T-Bars. Hanger bars span 24". Score lines allow for tool-free hanger bar size reduction. Integral leveling flange allows for single-person installation while aligning housing with the joists.

Listings:

- IC Rated for direct contact with insulation
- For 2-Hr Fire Rated ceilings

Compatible With:

• LED Insert, LED Disk Lights, LED Sky[™] Panels, and LED Ceiling Mount Fixtures



Product Numbers

Dimensions

Item	Description
EJB44ICA	4" Square Junction Box with Hanger Bars

Compatible Products

For use with 4" Junction Box with Hanger Bars



4" LED Inserts



CAT NO. SPECIFICATIONS

ELJ42230W

15W, 1000 lm, 3000K

Round & Square LED Sky Panels™



Round LED Sky Panel™

CAT NO.	SPECIFICATIONS
ELSP43CT3W, B	4", 10W, 600 lm, 3000K - 4000K
ELSP6327W, B	6", 15W, 850 lm, 2700K
ELSP63CT3W, B	6", 15W, 900 lm, 3000K - 4000K
ELSP8327W, B	8", 18W, 1150 lm, 2700K
ELSP83CT3W, B	8", 18W, 1200 lm, 3000K - 4000K
ELSP12CT3W, B	12", 22W, 2160 lm, 3000K - 4000K



.....

Square LED Sky Panel™

CAT NO.	SPECIFICATIONS
ELSP4430W, B	4", 10W, 600 lm, 3000K
ELSP4440W, B	4", 10W, 650 lm, 4000K
ELSP6630W, B	6", 15W, 900 lm, 3000K
ELSP6640W, B	6", 15W, 975 lm, 4000K
ELSP8830W, B	8", 18W, 1200 lm, 3000K
ELSP8840W, B	8", 18W, 1300 lm, 4000K
ELSP2230W, B	12", 22W, 2000 lm, 3000K
ELSP2240W, B	12", 22W, 2160 lm, 4000K

Accessories for LED Sky Panels™



Emergency Battery Back-Up

CAT NO.	SPECIFICATIONS
KEM-ELSW	15W, 900 lm, 120V, For use with 4″ & 6″ Sky Panels™ only

*Finishes: W - All White, B - All Black, BZ - All Bronze, N - All Nickel

Compatible Products





Ceiling Mount LED Fixtures



Darby[™] Standard LED Fixtures

Dustin[™] Standard LED Fixtures



HIGHLUMEN

Darby[™] High Lumen LED Fixtures

.....

SPECIFICATIONS	CAT NO.	SPECIFICATIONS
10", 14W, 980 lm, 3000K	ELD21030W, BZ	10", 18W, 1170 lm, 3000K
10", 14W, 1010 lm, 4000K	ELD21040W, BZ	10", 18W, 1260 lm, 4000K
16", 26W, 1820 lm, 3000K	ELD21430W, BZ	14", 26W, 1690 lm, 3000K
16", 26W, 1930 lm, 4000K	ELD21440W, BZ	14", 26W, 1820 lm, 4000K
	ELD21630W, BZ	16", 30W, 1950 lm, 3000K
	ELD21640W, BZ	16", 30W, 2100 lm, 4000K
	10", 14W, 980 lm, 3000K 10", 14W, 1010 lm, 4000K 16", 26W, 1820 lm, 3000K	10", 14W, 980 lm, 3000K ELD21030W, BZ 10", 14W, 1010 lm, 4000K ELD21040W, BZ 16", 26W, 1820 lm, 3000K ELD21430W, BZ 16", 26W, 1930 lm, 4000K ELD21440W, BZ ELD21630W, BZ ELD21630W, BZ



Dustin[™] High Lumen LED Fixtures

.....

		Dustin	ngh Lanen LLD T Mares
CAT NO.	SPECIFICATIONS	CAT NO. SPE	CIFICATIONS
ELD31230W	12", 14W, 980 lm, 3000K	ELD32230W 12", 2	22W, 1540 lm, 3000K
ELD31240W	12", 14W, 980 lm, 4000K	ELD32240W 12", 2	22W, 1540 lm, 4000K
ELD31430W	14", 18W, 1260 lm, 3000K	ELD32430W 14", 2	26W, 1820 lm, 3000K
ELD31440W	14", 18W, 1260 lm, 4000K	ELD32440W 14", 2	26W, 1820 lm, 4000K
		ELD32630W 16", 3	30W, 2100 lm, 3000K
		ELD32640W 16", 3	30W, 2100 lm, 4000K

4" & 6" LED Disk Lights

.....



4" Round Alva[™] Disk Light

ELSF4030W, BZ, N 13W, 800 Im, 3000K

SPECIFICATIONS

CAT NO.



6" Round Alva™ Disk Light

SPECIFICATIONS

13W, 900 Im, 2700K

6" Round Arvid[™] Disk Light

CAT NO.	SPECIFICATIONS
ELSF1030W	11.5W, 850 lm, 3000K

*Finishes: W - All White, B - All Black, BZ - All Bronze, N - All Nickel

ELSF1130W, BZ, N 13W, 900 Im, 2700K

CAT NO.

ELSF1127W