

4" Universal Sloped Ceiling Koto™ Trim with Clear Glass

Pex™ Sloped Ceiling die-cast trims with twist-on system for easy Koto™ Module installation. For use in EL470ICA and EL470RICA housings only. Requires Koto™ Module.



Features

- 4" Round Sloped Reflector with Clear Glass
- For use in EL470ICA and EL470RICA housings only with Standard Koto Module
- Convenient twist-on design for easy installation
- Designed for use in 2/12 (10°) to 12/12 (45°) sloped ceiling
- Lamp: Koto™ LED Module
- Wet location rated.


Specifications

Wet Location Listed


Options



All White



All Black



All Bronze



Black with White Ring




Haze with White Ring

Technical Details

Construction: Diecast aluminum with a powder coated finish.

Installation: Twist-on design allows for easy mounting onto the Koto™ LED Module.

Lamp: Koto™ LED Module.



Dimensions:

Product Numbers

| Item | Description | Finish |
|-----------|---|-----------------------|
| ELK4347W | Universal Sloped Ceiling Clear Glass Trim | All White |
| ELK4347BB | Universal Sloped Ceiling Clear Glass Trim | All Black |
| ELK4347BZ | Universal Sloped Ceiling Clear Glass Trim | All Bronze |
| ELK4347B | Universal Sloped Ceiling Clear Glass Trim | Black with White Trim |
| ELK4347H | Universal Sloped Ceiling Clear Glass Trim | Haze with White Trim |

Product Number Builder Example: **ELK4347W**

4" Universal Sloped Ceiling Koto Clear Glass Trim

Finish


ELK4347

- W** All White
- BB** All Black
- BZ** All Bronze
- B** Black with White Trim
- H** Haze with White Trim

Compatible Products

For use with 4" Koto™ Twist-On Sloped Ceiling Trims

Koto™ LED Module



Koto™ LED Module
ELK07, ELK09, & ELK11

| PRODUCT NUMBER BUILDER | | | | | |
|------------------------|---------|-------------------|------------------------------------|------------|-----------------------------------|
| Koto™ LED Module | Lumens | Color Temperature | | Beam Angle | |
| ELK | | | | | |
| 07 | 750 lm | 27 | 2700K | (blank) | 38° lens (Standard) |
| 09 | 950 lm | 30 | 3000K | -S | 18° lens |
| 11 | 1150 lm | 35 | 3500K | -N | 25° lens |
| | | 40 | 4000K | -W | 60° lens |
| | | SD | Sunset Dimming (For ELK09 & ELK11) | -FC | 18° - 50° Adjustable (ELK07 Only) |

ACCESSORIES



Lens

- EP731C*** 18° Lens
 - EP732C*** 25° Lens
 - EP733C*** 38° Lens
 - EP734C*** 60° Lens
- *EP732C, EP733C, EP734C
Included with standard module



Snoot


- L50W** White
- L50B** Black




Secondary Optics

- L45** Hex Louver
- L46** Linear Lens
- L47** Spread Louver
- L49** Frosted Lens
- L51** Color Shifter

*Standard module includes 38° installed with 25° & 60° field changeable lenses.




Koto™ LED Module with 5-CCT Switch



Product Number

- ELK08CT5** 825 lm, 5-CCT, 120V
- ELK10CT5** 1000 lm, 5-CCT, 120V

4" Koto™ Dedicated LED ICA Sloped Ceiling housings



4" ICA Sloped Housing
New Construction



4" ICA Sloped Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|----------|----------------|
| EL470ICA | 14W, 120V |

| CAT NO. | SPECIFICATIONS |
|-----------|----------------|
| EL470RICA | 14W, 120V |