

6" Die-cast Lensed Reflector Trim

6" diecast Round Steam Room Trim. For use with PAR Lamps.



Features

- 6" Round Steam Room Trim
- Lamp: PAR20 or R20

Technical Details

Construction: Diecast aluminum with a powder-coated finish.

Installation: Torsion springs securely mount trim into the housing and keep ring flush with the ceiling.

Compatible Housing: Compatible with 6" IC and Non-IC housings.


Lamp: PAR Lamps.

Options



White Bronze

Dimensions



Product Numbers

| Item | Finish |
|-----------|------------|
| ELL6812W | All White |
| ELL6812BZ | All Bronze |

Product Number Builder Example: ELL6812W

6" Round Steam Room Trim

Finish

ELL6812

W All White
BZ All Bronze

Compatible Products

For use with 6" Trims for PAR Lamps



6" Line Voltage ICA Housings



6" Airtight IC Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|----------|-----------------------------|
| EL7ICA | 90W, with Socket Bracket |
| EL7ICANB | 90W, without Socket Bracket |




6" Airtight IC Housing
Double Wall New Construction

| CAT NO. | SPECIFICATIONS |
|-----------|-----------------|
| EL7IC100A | Lamp: 100W MAX. |



6" Airtight IC 2-Hour Fire Rated Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| EL7FICA | 90W |




6" Airtight IC Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| EL7RICA | Lamp: 90W MAX. |



6" Shallow Airtight IC Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| R9ICA | Lamp: 75W MAX. |



6" Shallow Airtight IC Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| RR9ICA | Lamp: 75W MAX. |




6" Airtight IC Housing with GU24 Base Socket
New Construction

| CAT NO. | SPECIFICATIONS |
|------------|----------------|
| EL7ICA-G24 | Lamp: 27W MAX. |



6" Airtight IC Universal Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|---------|-----------------|
| R10H | Lamp: 150W MAX. |



6" Airtight IC Universal Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|---------|-----------------|
| RR10H | Lamp: 150W MAX. |



6" Shallow Housing
New Construction

| CAT NO. | SPECIFICATIONS |
|---------|---------------------------------|
| R9H | Lamp: 75W, Medium Base (E26) |



6" Shallow Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|---------|--------------------------------------|
| RR9H | Lamp: 75W MAX., Medium Base (E26) |

Compatible Products

For use with 6" Trims for PAR Lamps




6" Accessories



Fire Cover

| CAT NO. | SPECIFICATIONS |
|---------|---------------------|
| FIRECVR | 9 3/4" H x 17" O.D. |



Fire Enclosure

| CAT NO. | SPECIFICATIONS |
|------------|----------------------------|
| FIREENCL | 20 3/8" L x 14 3/8" W |
| FIREENCL-S | Shallow, 16" L x 14 3/8" W |



Mica Fire Tape

| CAT NO. | SPECIFICATIONS |
|----------|----------------|
| FIRETAPE | 3/4" W x 16' L |