

Project name:		
Fixture type:		
Date:		

# 6" Die-cast Round Baffle Trim for PAR LAMPS

6" diecast round baffle trim. For use with PAR Lamps.



### **Features**

- One-piece diecast 6" Round Baffle trim.
- Lamp: PAR20 or R20

#### **Technical Details**

Construction: Diecast aluminum with a powder coated finish.

Installation: Torsion springs securely mount trim into the housing and keep ring flush with the ceiling.

Compatible Housing: Compatible with 6" IC and non-IC housings.

Lamp: PAR Lamp


## **Options**



White

**Bronze** 

#### **Dimensions**



#### **Product Number**

Item	Finish
ELL6813BZ	All Bronze

## Product Number Builder Example: ELL6813W

6" Round Baffle Trim Finish

ELL6813

W All White

**BZ** All Bronze

# **Compatible** Products



For use with 6" Trims for PAR Lamps

# 6"Line Voltage ICA Housings



6" Airtight IC Housing New Construction



6" Airtight IC Housing

Double Wall New Construction



6" Airtight IC 2-Hour Fire Rated Housing

New Construction


CAT NO.	SPECIFICATIONS
EL7ICA	90W, with Socket Bracket
EL7ICANB	90W, without Socket Bracket







6" Airtight IC Housing Remodel



6" Shallow Airtight IC Housing

New Construction

6	The	
6	. 1	0.00
1 \$	- 1	5
100	15	

6" Shallow Airtight IC Housing Remodel

CAT NO.	SPECIFICATIONS	
EL7RICA	Lamp: 90W MAX.	

CAT NO.	SPECIFICATIONS
R9ICA	Lamp: 75W MAX.

CAT NO.	SPECIFICATIONS	
RR9ICA	Lamp: 75W MAX.	



6" Airtight IC Housing with GU24 Base Socket New Construction



6" Airtight IC Universal Housing New Construction



6" Airtight IC Universal Housing Remodel

CAT NO.	SPECIFICATIONS	
EL7ICA-G24	Lamp: 27W MAX.	

CAT NO.	SPECIFICATIONS
R10H	Lamp: 150W MAX.

CAT NO.	SPECIFICATIONS
RR10H	Lamp: 150W MAX.



6" Shallow Housing New Construction

6	The	
10	. 1	00
1 3	-1	4
100	0	

6" Shallow Housing
Remodel

CAT NO.	SPECIFICATIONS
R9H	Lamp: 75W, Medium Base (E26)

CAT NO.	SPECIFICATIONS
RR9H	Lamp: 75W MAX., Medium Base (E26)

# **Compatible** Products



For use with 6" Trims for PAR Lamps

# 6" Accessories







Fire Enclosure



Mica Fire Tape

CAT NO.	SPECIFICATIONS	
FIRECVR	9 ¾" H x 17" O.D.	

CAT NO.	SPECIFICATIONS
FIREENCL	20 3/8" L x 14 3/8" W
FIREENCL-S	Shallow. 16" L x 14 3%

CAT NO.	SPECIFICATIONS
FIRETAPE	<sup>3</sup> / <sub>4</sub> " W × 16' L