

6" Gimbal Ring Trim



Features

- Gimbal Ring, includes PSA27 Socket Adapter.
- Lamp: 75W MAX PAR30.
- O.D.: 8".

Technical Details

Construction:

- Meticulously manufactured trim with a powder coated or anodized finish.
- Integral gimbal ring holds lamp and allows for 35° adjustability.
- Diecast trim for durability and lasting quality.

Installation: Clips securely mount trim into the housing and keeps ring flush with ceiling.

Compatible Housing: Compatible with 6" Integrated Line Voltage Housings.

Lamp: Compatible with Medium base (E26) PAR type.

Options



White



Bronze

Product Numbers

| Item | Finish |
|---------|------------|
| EL317W | All White |
| EL317BZ | All Bronze |

Product Number Builder Example: EL317W

6" Gimbal Ring Trim

EL317

Finish

W All White

BZ All Bronze

Compatible Products

For use with 6" Trims for PAR Lamps

6" Line Voltage ICA Housings



6" Airtight IC Housing
New Construction



6" Airtight IC Housing
Double Wall New Construction



6" Airtight IC 2-Hour Fire Rated Housing
New Construction


| CAT NO. | SPECIFICATIONS |
|----------|-----------------------------|
| EL7ICA | 90W, with Socket Bracket |
| EL7ICANB | 90W, without Socket Bracket |

| CAT NO. | SPECIFICATIONS |
|-----------|-----------------|
| EL7IC100A | Lamp: 100W MAX. |


| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| EL7FICA | 90W |



6" Airtight IC Housing
Remodel



6" Shallow Airtight IC Housing
New Construction



6" Shallow Airtight IC Housing
Remodel


| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| EL7RICA | Lamp: 90W MAX. |

| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| R9ICA | Lamp: 75W MAX. |


| CAT NO. | SPECIFICATIONS |
|---------|----------------|
| RR9ICA | Lamp: 75W MAX. |



6" Airtight IC Housing with GU24 Base Socket
New Construction



6" Airtight IC Universal Housing
New Construction



6" Airtight IC Universal Housing
Remodel


| CAT NO. | SPECIFICATIONS |
|------------|----------------|
| EL7ICA-G24 | Lamp: 27W MAX. |

| CAT NO. | SPECIFICATIONS |
|---------|-----------------|
| R10H | Lamp: 150W MAX. |

| CAT NO. | SPECIFICATIONS |
|---------|-----------------|
| RR10H | Lamp: 150W MAX. |



6" Shallow Housing
New Construction



6" Shallow Housing
Remodel

| CAT NO. | SPECIFICATIONS |
|---------|---------------------------------|
| R9H | Lamp: 75W, Medium Base (E26) |

| CAT NO. | SPECIFICATIONS |
|---------|--------------------------------------|
| RR9H | Lamp: 75W MAX., Medium Base (E26) |

Compatible Products

For use with 6" Trims for PAR Lamps

6" Accessories



Fire Cover



Fire Enclosure



Mica Fire Tape

| CAT NO. | SPECIFICATIONS |
|---------|---------------------|
| FIRECVR | 9 3/4" H x 17" O.D. |

| CAT NO. | SPECIFICATIONS |
|------------|----------------------------|
| FIREENCL | 20 3/8" L x 14 3/8" W |
| FIREENCL-S | Shallow, 16" L x 14 3/8" W |

| CAT NO. | SPECIFICATIONS |
|----------|----------------|
| FIRETAPE | 3/4" W x 16' L |