

# 6" Metal Stepped Baffle Trim



## Features

- Metal Baffle.
- Lamp: 150W MAX PAR38 or R40.
- O.D.: 7 1/4".

## Technical Details

### Construction:

- Meticulously manufactured trim with a powder coated or anodized finish.
- Baffle helps reduce glare.

**Installation:** Clips securely mount trim into the housing and keeps ring flush with ceiling.

**Compatible Housing:** Compatible with 6" Integrated LED Housings.

**Lamp:** Compatible with Medium base (E26) PAR type.

## Options



White



Black w/White Trim



Black w/Bronze Trim



Bronze

## Product Numbers

Item	Description	Finish
ELM40BZ		All Bronze
ELM40W		All White
ELM40BBZ		Black with Bronze Trim
ELM40B		Black with White Trim
ELM40BOV	Oversized Ring	Black with White Trim
ELM40WOV	Oversized Ring	White with White Trim

## Product Number Builder Example: ELM40BZ

6" Metal Baffle Trim

Finish

Oversized Ring

**ELM40**

\_\_\_\_\_

\_\_\_\_\_

- BZ** All Bronze
- W** All White
- BBZ** Black with Bronze Trim
- B** Black with White Trim

- std Ring
- OV** Oversized Ring (B,W only)

# Compatible Products

For use with 6" Trims for PAR Lamps

## 6" Line Voltage ICA Housings



6" Airtight IC Housing  
**New Construction**

CAT NO.	SPECIFICATIONS
EL7ICA	90W, with Socket Bracket
EL7ICANB	90W, without Socket Bracket



6" Airtight IC Housing  
**Double Wall New Construction**

CAT NO.	SPECIFICATIONS
EL7IC100A	Lamp: 100W MAX.



6" Airtight IC 2-Hour Fire Rated Housing  
**New Construction**

CAT NO.	SPECIFICATIONS
EL7FICA	90W




6" Airtight IC Housing  
**Remodel**

CAT NO.	SPECIFICATIONS
EL7RICA	Lamp: 90W MAX.




6" Shallow Airtight IC Housing  
**New Construction**

CAT NO.	SPECIFICATIONS
R9ICA	Lamp: 75W MAX.




6" Shallow Airtight IC Housing  
**Remodel**

CAT NO.	SPECIFICATIONS
RR9ICA	Lamp: 75W MAX.




6" Airtight IC Housing with GU24 Base Socket  
**New Construction**

CAT NO.	SPECIFICATIONS
EL7ICA-G24	Lamp: 27W MAX.



6" Airtight IC Universal Housing  
**New Construction**

CAT NO.	SPECIFICATIONS
R10H	Lamp: 150W MAX.




6" Airtight IC Universal Housing  
**Remodel**

CAT NO.	SPECIFICATIONS
RR10H	Lamp: 150W MAX.



6" Shallow Housing  
**New Construction**

CAT NO.	SPECIFICATIONS
R9H	Lamp: 75W, Medium Base (E26)



6" Shallow Housing  
**Remodel**

CAT NO.	SPECIFICATIONS
RR9H	Lamp: 75W MAX., Medium Base (E26)

# Compatible Products

For use with 6" Trims for PAR Lamps

## 6" Accessories

---



Fire Cover



Fire Enclosure



Mica Fire Tape

CAT NO.	SPECIFICATIONS
FIRECVR	9 3/4" H x 17" O.D.

CAT NO.	SPECIFICATIONS
FIREENCL	20 3/8" L x 14 3/8" W
FIREENCL-S	Shallow, 16" L x 14 3/8" W

CAT NO.	SPECIFICATIONS
FIRETAPE	3/4" W x 16' L