

6" Round Adjustable Reflector Trim with LED Module & Driver

The perfect lighting solution for high-end residential projects with existing housings.



Features

- Module includes LED Module Driver.
- Triac/ELV dimming.
- Life span of 50,000 hours L70.
- USA designed and assembled.
- Limited 5 year warranty.

Specifications

Wattage	10.5W - 15.7W
Lumens	850 lm - 1250 lm
Voltage	120V
Color Temp.	2700K - SunsetK
Dimmable	Triac/ELV
Lamp Type	LED
Beam Angle	60° - 60°
CRI	93+
Wet Location	Listed

Options



All White



Black w/White ring



All Bronze



All Chrome



All Haze

Technical Details

Optics: Frosted polycarbonate module lens diffuses light evenly throughout while reducing glare with LED technology.

Trim Construction: Reflector is two piece trim for maximum color versatility. Design allows for minimal glare and a strong glare cut-off. Trim is constructed of metal for lasting durability.


Compatible Housings: EL76FICA, EL770ICA, EL770RICA.

LED Technology:

- Extremely accurate Color Rendering Index of 93+.
- Efficacy of 97 lumens per watt.
- Lumen Maintenance of 50,000 hours L70 Life based on LM80 standardized test results.
- Superior Thermal Management by utilizing ELCO Red heat sink.
- Instant On to Full Brightness technology.
- No LED pixelation.

Listings:

- UL Listed for Wet Location.
- RoHS Compliant.
- ENERGY STAR® Certified.
- California Title 24 (JA8-2016-E).



Product Numbers

Item	Lamp type	Lumens	CCT	Watts	Voltage	Dimming	Beam Angle
E617R0827W, E617R0827B, E617R0827BZ, E617R0827C, E617R0827H	LED	850 lm	2700K	10.5W	120V	Triac/ELV	60°
E617R1227W, E617R1227B, E617R1227BZ, E617R1227C, E617R1227H	LED	1250 lm	2700K	15.7W	120V	Triac/ELV	60°

Item	Lamp type	Lumens	CCT	Watts	Voltage	Dimming	Beam Angle
E617R0830W, E617R0830B, E617R0830BZ, E617R0830C, E617R0830H	LED	850 lm	3000K	10.5W	120V	Triac/ELV	60°
E617R1230W, E617R1230B, E617R1230BZ, E617R1230C, E617R1230H	LED	1250 lm	3000K	15.7W	120V	Triac/ELV	
E617R0835W, E617R0835B, E617R0835BZ, E617R0835C, E617R0835H	LED	850 lm	3500K	10.5W	120V	Triac/ELV	
E617R1235W, E617R1235B, E617R1235BZ, E617R1235C, E617R1235H	LED	1250 lm	3500K	15.7W	120V	Triac/ELV	60°
E617R0840W, E617R0840B, E617R0840BZ, E617R0840C, E617R0840H	LED	850 lm	4000K	10.5W	120V	Triac/ELV	60°
E617R1240W, E617R1240B, E617R1240BZ, E617R1240C, E617R1240H	LED	1250 lm	4000K	15.7W	120V	Triac/ELV	60°
E617R0850W, E617R0850B, E617R0850BZ, E617R0850C, E617R0850H	LED	850 lm	5000K	10.5W	120V	Triac/ELV	60°
E617R1250W, E617R1250B, E617R1250BZ, E617R1250C, E617R1250H	LED	1250 lm	5000K	15.7W	120V	Triac/ELV	60°
E617R08SDW, E617R08SDB, E617R08SDBZ, E617R08SDC, E617R08SDH	LED	850 lm	SunsetK	10.5W	120V	Triac/ELV	60°
E617R12SDW, E617R12SDB, E617R12SDBZ, E617R12SDC, E617R12SDH	LED	1250 lm	SunsetK	15.7W	120V	Triac/ELV	60°

Product Number Builder

Example: **E617R0827W**, **E617R0827B**, **E617R0827BZ**, **E617R0827C**, **E617R0827H**

ELCO 6" Round Adjustable Reflector	Lumens	Color Temp.	Finish
E617R	08 850 lm 12 1250 lm	27 2700K 30 3000K 35 3500K 40 4000K 50 5000K SD Sunset	W All White B Black w/White Ring BZ All Bronze C All Chrome H All Haze