

# 6" Specular Reflector Trim



## Features

- Reflector.
- Lamp: (1) 42W max CFL, 75W MAX PAR30 or R30.
- O.D.: 7 1/4".

## Technical Details

**Construction:** Meticulously manufactured trim with a powder coated or anodized finish.

**Installation:** Clips securely mount trim into the housing and keeps ring flush with ceiling.

**Compatible Housing:** Compatible with 6" Integrated LED Housings.

**Lamp:** Compatible with Medium base (E26) PAR type.

## Options



Chrome w/White Trim



Gold w/White Trim



All Gold



All White



All Chrome



Black w/White Trim

## Product Numbers

Item	Description	Finish
ELS30CC	Specular	All Chrome
ELS30GG	Specular	All Gold
ELS30W		All White
ELS30B		Black with White Trim
ELS30C	Specular	Chrome with White Trim
ELS30G	Specular	Gold with White Trim

## Product Number Builder Example: ELS30CC

6" Reflector Trim

Finish

**ELS30**

\_\_\_\_\_

- CC** All Chrome
- GG** All Gold
- W** All White
- B** Black with White Trim
- C** Chrome with White Trim
- G** Gold with White Trim

# Compatible Products



For use with 6" Trims for PAR Lamps

## 6" Line Voltage ICA Housings



6" Airtight IC Housing  
**New Construction**



6" Airtight IC Housing  
**Double Wall New Construction**



6" Airtight IC 2-Hour Fire Rated Housing  
**New Construction**


CAT NO.	SPECIFICATIONS
EL7ICA	90W, with Socket Bracket
EL7ICANB	90W, without Socket Bracket

CAT NO.	SPECIFICATIONS
EL7IC100A	Lamp: 100W MAX.


CAT NO.	SPECIFICATIONS
EL7FICA	90W



6" Airtight IC Housing  
**Remodel**



6" Shallow Airtight IC Housing  
**New Construction**



6" Shallow Airtight IC Housing  
**Remodel**


CAT NO.	SPECIFICATIONS
EL7RICA	Lamp: 90W MAX.

CAT NO.	SPECIFICATIONS
R9ICA	Lamp: 75W MAX.


CAT NO.	SPECIFICATIONS
RR9ICA	Lamp: 75W MAX.



6" Airtight IC Housing with GU24 Base Socket  
**New Construction**



6" Airtight IC Universal Housing  
**New Construction**



6" Airtight IC Universal Housing  
**Remodel**


CAT NO.	SPECIFICATIONS
EL7ICA-G24	Lamp: 27W MAX.

CAT NO.	SPECIFICATIONS
R10H	Lamp: 150W MAX.

CAT NO.	SPECIFICATIONS
RR10H	Lamp: 150W MAX.



6" Shallow Housing  
**New Construction**



6" Shallow Housing  
**Remodel**

CAT NO.	SPECIFICATIONS
R9H	Lamp: 75W, Medium Base (E26)

CAT NO.	SPECIFICATIONS
RR9H	Lamp: 75W MAX., Medium Base (E26)

# Compatible Products

For use with 6" Trims for PAR Lamps

## 6" Accessories

---



Fire Cover



Fire Enclosure



Mica Fire Tape

CAT NO.	SPECIFICATIONS
FIRECVR	9 3/4" H x 17" O.D.

CAT NO.	SPECIFICATIONS
FIREENCL	20 3/8" L x 14 3/8" W
FIREENCL-S	Shallow, 16" L x 14 3/8" W

CAT NO.	SPECIFICATIONS
FIRETAPE	3/4" W x 16' L