

LED Diecast Aluminum Pendant



Features

- 4" x 10" Pendant.
- Diecast aluminum housing.
- Dimmable.
- Canopy included.
- 3/8" OD steel stem (sold separately).

Specifications

Wattage	40W
Lumens	2690 lm - 2900 lm
Voltage	120V
Color Temp.	3000K - 4000K
Dimmable	Triac
Lamp Type	LED
Damp Location	Listed

Options




White



Black

Dimensions



Product Numbers

Item	Lamp type	Lumens	CCT	Watts	Voltage	Dimming	Finish
------	-----------	--------	-----	-------	---------	---------	--------

Item	Lamp type	Lumens	CCT	Watts	Voltage	Dimming	Finish
EDL8330W	LED	2690 lm	3000K	40W	120V	Triac	White
EDL8330B	LED	2690 lm	3000K	40W	120V	Triac	Black
EDL8340W	LED	2900 lm	4000K	40W	120V	Triac	White
EDL8340B	LED	2900 lm	4000K	40W	120V	Triac	Black


ELCO 4" x 10" Pendant	Size	Color Temp	Finish
EDL	83 4 x 10	30 3000K 40 4000K	W All White B All Black

LED Diecast Aluminum Pendant

Multiplier: 3000K (x 0.96)

PHOTOMETRIC REPORT

Product #: EDL8340
 Wattage/Lumens: 40W/ 2943 lm
 Luminaire LPW: 74 Lm/W



CANDLE POWER SUMMARY

Degrees Vertical	0°
0	6132
5	5553
15	3749
25	1606
35	506
45	155
55	58
65	15
75	3
85	2
90	2

ILLUMINANCE AT A DISTANCE

Distance to Target Plane	Footcandles Beam Center	Beam Diameter
4'	383	2.6'
6'	170	4.0'
8'	95.8	5.3'
10'	61.3	6.6'

ZONAL LUMEN SUMMARY

Zone	Lumens	% Luminaire
0-30°	2339.81	79.50
0-40°	2718.35	92.40
0-60°	2922.79	99.30
0-90°	2942.98	100.00