

4" Phenolic Step Baffle Trim



Features

- Phenolic Step, Metal Ring.
- Lamp: 32W MAX CFL (PL-T) or 50W MAX PAR20 or R20.
- O.D.: 4 3/4".

Technical Details

Construction:

- Meticulously manufactured trim with a powder coated or anodized finish.
- Baffle helps reduce glare.

Installation: Clips securely mount trim into the housing and keeps ring flush with ceiling.

Compatible Housing: Compatible with 4" Line Voltage IC and Non-IC versions.

Lamp: Compatible with Medium base (E26) PAR type.

Options



All White



Black w/White Ring



All Copper



All Bronze



All Nickel



All Black



Black w/Nickel Ring



White w/Nickel Ring



Nickel w/White Ring



Black w/Bronze Ring



Bronze w/White Ring



White w/Bronze Ring

Product Numbers

Item	Finish
EL993B	Black w/White Ring
EL993BZ	All Bronze
EL993CP	All Copper
EL993W	All White
EL993N	All Nickel
EL993BB	All Black
EL993BN	Black w/Nickel Ring
EL993WN	White w/Nickel Ring
EL993NW	Nickel w/White Ring
EL993BBZ	Black w/Bronze Ring
EL993BZW	Bronze w/White Ring

Item	Finish
EL993WBZ	White w/Bronze Ring

Product Number Builder Example: **EL993B**

4" Phenolic Baffle Metal Trim	Finish
<div>EL993</div>	<div></div> <div><div>B Black w/White Ring</div><div>BZ All Bronze</div><div>CP All Copper</div><div>W All White</div><div>N All Nickel</div><div>BB All Black</div><div>BN Black w/Nickel Ring</div><div>WN White w/Nickel Ring</div><div>NW Nickel w/White Ring</div><div>BBZ Black w/Bronze Ring</div><div>BZW Bronze w/White Ring</div><div>WBZ White w/Bronze Ring</div></div>

Compatible Products

For use with 4" Trims for PAR Lamps



4" Line Voltage ICA Housings



4" Airtight IC Housing
Double Wall Construction

CAT NO.	SPECIFICATIONS
EL99ICA	Lamp: 50W MAX.



4" Airtight Housing
New Construction

CAT NO.	SPECIFICATIONS
EL99A	Lamp: 50W MAX.




4" Airtight IC Housing
New Construction

CAT NO.	SPECIFICATIONS
EL99LDICA	Lamp: LED 12W MAX.



4" Airtight IC Housing
Remodel

CAT NO.	SPECIFICATIONS
EL99RICA	Lamp: 50W MAX.



4" Housing
Remodel

CAT NO.	SPECIFICATIONS
EL99RA	Lamp: 50W MAX.



4" Airtight IC 2-Hour Fire Rated Housing
New Construction

CAT NO.	SPECIFICATIONS
EL99FICA	Lamp: 35W MAX.



4" Airtight IC Housing with GU24 Base Socket
New Construction

CAT NO.	SPECIFICATIONS
EL99ICA-G24	Lamp: 18W MAX.



4" Airtight IC Housing with GU24 Base Socket
Remodel


CAT NO.	SPECIFICATIONS
EL99RICA-G24	Lamp: 18W MAX.

4" Accessories



Fire Cover

CAT NO.	SPECIFICATIONS
FIRECVR	9 3/4" H x 17" O.D.



Fire Enclosure

CAT NO.	SPECIFICATIONS
FIREENCL	20 3/8" L x 14 3/8" W
FIREENCL-S	Shallow, 16" L x 14 3/8" W



Mica Fire Tape

CAT NO.	SPECIFICATIONS
FIRETAPE	3/4" W x 16' L