

LED Large Wall Packs

This medium-sized LED wall pack features a traditional design, but with energy efficient performance. Die-cast aluminum housing ensures long lasting functionality. High quality polycarbonate lens guards against vandalism and environmental contamination. Can be used for applications requiring 8,900 to 13,000 lumens.




Features

- Non-Dimmable or 0-10V Dimming.
- Die-cast Aluminum Housing, polycarbonate lens.
- Easily removed mounting knockouts and J-box pattern panel plate.
- Standard input wattage: 90W (250W Metal Halide Equivalent) and 135W (400W Metal Halide Equivalent).
- J-box or direct wall mount for surface conduit (back mount).
- see Compatible Products for all Accessories.

Specifications

Wattage	90W - 135W
Lumens	10900 lm - 16400 lm
Voltage	120/277V
Color Temp.	4000K - 5000K
Dimmable	0-10V
Lamp Type	LED
CRI	80+
Power Factor	> 0.9
Wet Location	Listed

Dimensions



Technical Details

Lamp: SMD LED, CRI 80+

Optics: Shatterproof polycarbonate lens diffuses light evenly throughout space.

Construction: Die-cast aluminum housing. Impact, corrosion, and UV resistant.

Installation: 3/4" knockout points on the side and top for surface conduit supply or photocell connection.

Electrical: Constant current 120/277V AC Class 2 Driver with a power factor > 0.9. Ambient operating temperature: -40°F (-40°C) to 113°F (45°C). Standard input wattage: 90W (250W Metal Halide Equivalent) and 135W (400W Metal Halide Equivalent)

Dimmability (Optional): Works with 0-10V type dimmers. For full list of dimmers, refer to the dimmer compatibility list.

Listings: UL Listed for wet location. DLC listed. LM-80 certified. IP65 rated.

Warranty: ELCO Lighting warrants products will be free from defects in materials and workmanship for a period of 5 years.

Product Numbers

Item	Lamp type	Lumens	CCT	Watts	Voltage	Dimming	Finish
EW P90L40	LED	10900 lm	4000K	90W	120/277V		Dark Bronze
EW P90L50	LED	11200 lm	5000K	90W	120/277V		Dark Bronze
EW P135L40	LED	15600 lm	4000K	135W	120/277V		Dark Bronze
EW P135L50	LED	16400 lm	5000K	135W	120/277V		Dark Bronze
EW P90L40D	LED	10900 lm	4000K	90W	120/277V	0-10V	Dark Bronze
EW P90L50D	LED	11200 lm	5000K	90W	120/277V	0-10V	Dark Bronze
EW P135L40D	LED	15600 lm	4000K	135W	120/277V	0-10V	Dark Bronze
EW P135L50D	LED	16400 lm	5000K	135W	120/277V	0-10V	Dark Bronze

Product Number Builder Example: EW P90L40

Large Wall Pack	Wattage	Size	Color Temp	Optional
EW P	90 90W 135 135W	L Large	40 4000K 50 5000K	N Non-Dimmable D Dimmable